

Products Range DOOR ENTRY SYSTEM



Internal Units



Maxi

Icona

Mini

Mini Handsfree

Easycom

Style

Video CPS ViP

PC Switchboard software

Comelit ViP Remote

External Units

Architectus Pro

316 Touch

316 Sense

316 Analog

Bespoke

Quadra

Ikall Metal

Ikall


Vandalcom

Deep roots, global vision.

Founded in 1956, Comelit Group SpA is an industrial company operating on a worldwide scale and specialising in the design and manufacture of video entry, video surveillance, anti-intrusion, home automation, access control systems and antifire.

The company has a strong international vocation thanks to its close ties with the area in which it was created and in which its headquarters are still located today.







Focusing on mankind and his values.

Comelit has always placed mankind at the centre of its vision. This humanist approach is evident in the company's focus on its employees, in the organisation of its working environment, in the ethics governing its relationships with suppliers and distributors, and in the partnership it fosters with installers. Every Comelit product expresses this vision, constructed on the basis of enduring values.








Maxi

- Full-duplex hands-free door entry monitor with 7" touch-screen colour display
- Commands with "Sensitive touch" technology, LED backlighting and "Swipe" technology
- Semi flush-mounted, wall-mounted and desk base installation
- Version for SBTOP 2-wire and digital ViP system
- Dimensions: 223x124x12 mm
- Contrast, brightness and ringtone volume adjustment and privacy control







Icona

- Full-duplex hands-free door entry monitor with 4.3" 16/9 touch-screen colour display
- Commands with "Sensitive touch" technology, LED backlighting and "Swipe" technology
- Semi flush-mounted, wall-mounted and desk base installation
- Version for SBTOP 2-wire and digital ViP system
- Dimensions: 142x145.5x12 mm
- Contrast, brightness and ringtone volume adjustment and privacy control







Mini

- Full-duplex handset door entry monitor with 4.3" 16/9 B/W or colour display
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted and desk base installation
- Version for SBTOP 2-wire system
- Dimensions: 175x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control
- Available in White or Black







Mini Handsfree

- Full-duplex hands-free door entry monitor with 4.3" 16/9 colour display
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted installation
- Version for SBTOP 2-wire system
- Dimensions: 115x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control



Easycom



Surface-mounted or desk base installation

■ Version for SBTOP 2-wire and digital ViP system

■ Dimensions: 90x160x28 mm

Call volume adjustment and privacy control

Available in White or Black

6228B - EASYCOM HANDS-FREE INTERCOM - BLACK 6228W - EASYCOM SIMPLEBUS UNIT - WHITE

6203B - EASYCOM VIP UNIT - BLACK 6203W - EASYCOM VIP UNIT - WHITE



Style

- Door-entry phone with handset
- Surface-mounted or desk base installation
- Version for SBTOP 2-wire and digital ViP system
- Dimensions: 95x215x58 mm
- Call volume adjustment and privacy control
- Available in Elegance or Basic version





2628 - STYLE ELEGANCE HANDSET FOR A/V SYSTEMS

2638 - STYLE BASIC HANDSET FOR A/V SYSTEMS

2633 - ELEGANCE DOOR-ENTRY PHONE, VIP SYSTEM. STYLE SERIES



VIDEO CPS VIP



PC SWITCHBOARD SOFTWARE


Software on USB micro-key for simple management and control of all the typical functions of the porter switchboard. In addition to the classic functions of ViP video door entry monitors, it receives and forwards audio/video calls and manages alarms in the apartments; it has a directory of actuators, internal and external units which, when programmed, easily identify the apartment and the external unit which made the call. It also has a recordings archive which stores all calls (made, managed, lost and forwarded) from internal/external units and alarms. It can also send messages to internal units. The software comes with a user license. To work correctly, the USB micro-key must always be inserted in the computer.





Comelit ViP Remote

The Comelit App manages door entry and other advanced functions even from 3G or higher networks. The Comelit App is available for both smartphones and tablets.



ANSWER CALLS FROM EXTERNAL UNITS

You can answer audio or audio / video calls from a smartphone or tablet locally (Wi-Fi network) or remotely (with 3G or higher network)




MAKE AND RECEIVE CALLS FROM OTHER INTERNAL UNITS (IN THE CONTACTS LIST) AND FROM OTHER DEVICES

You can make or answer audio calls from a smartphone or tablet locally (Wi-Fi network) or remotely (with 3G or higher network) to ViP devices (internal units or devices with the Comelit App)



VIEW AND MANAGE CAMERAS

You can view (live) CCTV cameras and images from the entrance panels



VIDEO MEMORY

The new Video Memory function views videos recorded from external units and CCTV cameras (up to 10 seconds)



ACTUATOR ACTIVATION AND MANAGEMENT

This function is used to control actuators to manage lights, gates, barriers, etc.





Architectus Pro

- Audio and audio/video external unit
- AISI 316 stainless steel modules
- Analogue version modules are completely free of mechanical keys
- Flush-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Option of adding mail box
- Option of customising the construction of the external unit and the information it displays





316 Range











316 Touch

- Audio and audio/video external unit
- In AISI 316 stainless steel
- 8" backlit touch-screen colour display
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Dimensions: 342x182x4 mm
- Attractive and intuitive fully graphic interface
- IK08 protection rating
- Voice messages and visual indications for hearing aid users via pictograms on the display
- 4 different call modes (name search, code, alphabetic entry button and button with customisable graphics)
- Integrated RFID reader

316 Sense

- Audio and audio/video external unit
- In AISI 316 stainless steel
- Backlit 128x64 pixel graphic display
- Alphanumeric keypad featuring exclusive "Sensitive Touch" technology
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Dimensions: 342x182x4 mm
- Braille character keys, voice messages and visual indications for hearing aid users via pictograms on the display
- IK08 protection rating
- Integrated RFID reader
- Night-time lighting with accessory (rain shield)











3001XAB...3012XAB - 316 ANALOG AUDIO ENTRANCE PANEL, SBC SYSTEM 3001XVB...3012XVB - 316 ANALOG AUDIO/VIDEO ENT. PANEL, SBC SYSTEM 3201XA...3212XA - 316 ANALOG AUDIO ENTRANCE PANEL, VIP SYSTEM 3201HXV...3212HXV - 316 ANALOG AUDIO/VIDEO ENT. PANEL, VIP SYSTEM H264

316 Analog

- Audio and audio/video external unit
- In AISI 316 stainless steel
- Call buttons featuring exclusive "Sensitive Touch" technology
- Flush-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Available in versions with 1 to 12 buttons
- IK08 protection rating
- Voice messages, LED indications and graphic icons for hearing aid users

Bespoke

- Audio and audio/video external unit
- 2.5mm marine grade Stainless Steel
- Flush and surface mounted installation
- From a 1 button panels to unlimited users
- Available for SBTOP 2-wire and digital ViP system
- IK08 protection rating
- LED indication and voice annunication





Comelit's Bespoke panel range offers custom dimensions, engraving and even the possibility to add your company logo. The stainless steel panels are also available in fully DDA compliant versions with the addition of high visibility buttons and Braille. For further information please contact Comelit Sales.





Quadra

- Audio/video external unit
- Die-cast aluminium cover
- Call buttons featuring exclusive "Sensitive Touch" technology
- Surface-mounted installation
- Dimensions 95x195x23 mm. Wall contact surface 90 mm
- Colour video camera with wide viewing angle
- IK08 protection rating
- 4 indicator LEDs for call sent, door open, audio active, system busy
- White LED for illumination of the video playback
- Nameplate holder in versions with 1/2/4 buttons
- High performance loudspeaker







Quadra Kits

COMPATIBLE MONITORS

MINI



MINI HANDSFREE



ICONA



MAXI



Ikall Metal

- Audio and audio/video external unit
- Steel finish
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Analogue or digital version with "sensitive touch" technology
- Protection index IP54
- Large, easy to remove nameplates
- Audio and visual indications with pictograms illuminated by LED backlighting





Ikall

- Audio and audio/video external unit
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Analogue or digital version with "sensitive touch" technology
- Protection index IP54
- Large, easy to remove nameplates
- Audio and visual indications with pictograms illuminated by LED backlighting







Vandalcom

- Audio and audio/video external unit
- Modules made using double 2.5 mm stainless steel plate
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Stainless steel micro stroke buttons
- Analogue or digital version
- IK10 protection rating






Web

Comelit's website provides a comprehensive resource for consultation, with technical and commercial information to assist installers.

A point of reference active 24/7, 365 days a year, to obtain practical answers, request assistance, and receive advice.

www.comelitgroup.com



Comelit in the world



[IT] Comelit Group Spa Via Don Arrigoni 5 24020 Rovetta S. Lorenzo -Bergamo Italy Tel. +39 (0) 346 750011 Fax +39 (0) 346 71436 www.comelitgroup.com - info@

[BE] Comelit Group Belgium Doornveld 170 1731 Zellik (Asse) Tel. +32 24115099 Fax +32 24115097 www.comelit.be info@comelit.be

[DE] Comelit Group S.p.A.
Deutschland
Konrad-Zuse-Ring 12c
41179 Mönchengladbach
Deutschland
tel. 02161/54959-0
fax: 02161/54959-10
info@comelit.de

[ES] Comelit Group Spa Sucursal en Espana Calle Pintor Roig i Soler, 28 08916 - Badalona (Barcelona) Tel. +34 932 430 376 Fax +34 934 084 683 www.comelit.es info@comelit.es [FR] Comelit Immotec 18, rue Séjourné 94000 CRETEIL CEDEX Tél. +33 (0) 1 43 53 97 97 Fax +33 (0) 1 43 53 97 87 www.comelit.fr contact@comelit-immotec.fr

[GR] Comelit Hellas - Telergo Security Ltd Roumelis, 59 16451 Argiroupoli - Athens Greece Tel. +30 210 99 68 605-6 Fax +30 210 99 45 560 www.comelit.gr telergo@otenet.gr

[IE] Comelit Ireland Ground Floor 14 Herbert Street - Dublin 2 Tel. +353 (0) 1 619 0204 Fax +353 (0) 1 619 0298 www.comelit.ie info@comelit.ie

[NL] Comelit Nederland BV
Buitendijks 1-3356 LX
Papendrecht
Tel. +31 786511201
Fax +31 786170955
www.comelit.nl
info@comelit.nl

[SG] Comelit South East Asia Pte Ltd Block 1002, Nr. 06-1407 Toa Payoh Industrial Park Singapore 319074 Tel. +65 6352 3456 Fax +65 6352 8557 office@comelit.sq

[AE] Comelit Group U.A.E.
Middle East Office
P.O. Box 54433
Dubai U.A.E.
Tel. +971 4 299 7533
Fax +971 4 299 7534
www.comelit.ae
info@comelit.ae

[GB] Comelit Group UK Ltd
Unit 4 Mallow Park Watchmead
Welvyn Garden City Herts
AL7 1GX
Tel: +44 (0)1707377203
Fax: +44 (0)1707377204
www.comelitgroup.co.uk
info@comelitgroup.co.uk

[US] Comelit Usa 2021 S. Myrtle Avenue Monrovia, CA 91016 Tel. +1 626 930 0388 Fax +1 626 930 0488 www.comelitusa.com sales@comelitusa.com [RU] СОМЕLIТ РОССИЯ
105318, РФ, г.Москва, ул.
Щербаковская, д.35
RUSSIA
+7 495 411 44 65
www.comelit.ru
info@comelit.ru

[HK] Comelit Hong Kong Rm601, 6/F,TungHip CommercialBuilding, 248 Dex Voeux Road Central, Sheung Wan,HK T. +852 3582 1632 www.comelitgroup.com info@comelit.hk



www.comelitgroup.com

